
References

- D. H. Ackley, G. E. Hinton, and T. J. Sejnowski. A learning algorithm for Boltzmann machines. *Cognitive Science*, 9:147–169, 1985.
- D. G. Amaral, N. Ishizuka, and B. Claiborne. Neurons, numbers, and the hippocampal network. *Progress in Brain Research*, 83:1–11, 1990.
- J. Atick and N. Redlich. Towards a theory of early visual processing. *Neural Computation*, 2:308–320, 1990.
- S. Bao, V.T. Chan, and M.M. Merzenich. Cortical remodelling induced by activity of ventral tegmental dopamine neurons. *Nature*, 412(6842):79–83, 2001.
- H. B. Barlow. Unsupervised learning. *Neural Computation*, 1:295–311, 1989.
- H. B. Barlow and P. Földiák. Adaptation and decorrelation in the cortex. In R. Durbin, C. Miall, and G. Mitchison, editors, *The Computing Neuron*, chapter 4, pages 54–72. Addison-Wesley Publishing Corp., 1989.
- C. A. Barnes, B. L. McNaughton, S. J.Y. Mizumori, and B. W. Leonard. Comparison of spatial and temporal characteristics of neuronal activity in sequential stages of hippocampal processing. *Progress in Brain Research*, 83:287–300, 1990.
- S. Becker. Mutual information maximization: Models of cortical self-organization. *Network: Computation in Neural Systems*, 7:7–31, 1996.
- S. Becker. Implicit learning in 3d object recognition: The importance of temporal context. *Neural Computation*, 1999.
- S. Becker. A computational principle for hippocampal learning and neurogenesis. To appear in *Hippocampus*, 2005.
- S. Becker and G. E. Hinton. A self-organizing neural network that discovers surfaces in random-dot stereograms. *Nature*, 355:161–163, 1992.
- S. Becker and J. Lim. A computational model of prefrontal control in free recall: strategic memory use in the california verbal learning task. *Journal of Cognitive Neuroscience*, 15(6):1–12, 2003.
- A. J. Bell and T. J. Sejnowski. An information-maximisation approach to blind separation and blind deconvolution. *Neural Computation*, 7(6):1129–1159, 1995.
- A. J. Bell and T. J. Sejnowski. The independent components of natural scenes are edge filters. *Vision Research*, 37:3327–3338, 1997.
- N. Brenner, W. Bialek, and R. de Ruyter van Steveninck. Adaptive rescaling

- maximizes information transmission. *Neuron*, 26:695-702, 2000.
- B.M. Calhoun and C.E. Schreiner. Spectral envelope coding in cat primary auditory cortex: linear and non-linear effects of stimulus characteristics. *European Journal of Neuroscience*, 10(3):926-40, 1998.
- M.S. Cousins, A. Atherton, L. Turner, and J.D. Salamone. Nucleus accumbens dopamine depletions alter relative response allocation in a t-maze cost/benefit task. *Behavioral Brain Research*, 74(1-2):189-97, 1996.
- P. Dayan, G. E. Hinton, R. Neal, and R.S. Zemel. The helmholtz machine. *Neural Computation*, 7:1022-1037, 1995.
- V. R. de Sa. Learning classification with unlabeled data. In *Advances in Neural Information Processing Systems 6*, pages 112-119. Morgan Kaufmann, 1994.
- G.C. DeAngelis, I. Ohzawa, and R.D. Freeman. Spatiotemporal organization of simple-cell receptive fields in the cats striate cortex. i. general characteristics and postnatal development. *Journal of Neurophysiology*, 69(4), 1993.
- D. Dong and J. Atick. Temporal decorrelation: a theory of lagged and nonlagged responses in the lateral geniculate nucleus. *Network: Computation in Neural Systems*, 6:159-178, 1995.
- W. Gerstner and L.F. Abbott. Learning navigational maps through potentiation and modulation of hippocampal place cells. *Journal of Computational Neuroscience*, 4:79-94, 1997.
- M. E. Hasselmo, B. P. Wyble, and G. V. Wallenstein. Encoding the retrieval of episodic memories: role of cholinergic and GABAergic modulation in the hippocampus. *Hippocampus*, 6:693-708, 1996.
- M.E. Hasselmo and E. Schnell. Laminar selectivity of the cholinergic suppression of synaptic transmission in rat hippocampal region ca1: computational modeling and brain slice physiology. *Journal of Neuroscience*, 14(6):3898-3914, 1994.
- G. Hinton. Training products of experts by minimizing contrastive divergence. Technical Report GCNU TR 2000-004, 2000.
- G. E. Hinton and A. Brown. Spiking boltzmann machines. In *Advances in Neural Information Processing Systems 12*. MIT Press, Cambridge, MA, 2000.
- D. H. Hubel and T. N. Wiesel. Receptive fields and functional architecture of monkey striate cortex. *Journal of Physiology*, 195(1):215-243, 1968.
- R. A. Jacobs, M. I. Jordan, S. J. Nowlan, and G. E. Hinton. Adaptive mixtures of local experts. *Neural Computation*, 3(1):79-87, 1991.
- M.W. Jung and B.L. McNaughton. Spatial selectivity of unit activity in the hippocampal granular layer. *Hippocampus*, 3(2):165-182, 1993.
- S. Kali and P. Dayan. The involvement of recurrent connections in area ca3 in establishing the properties of place fields: A model. *Journal of Neuroscience*, 20:7463-7477, 2000.
- J. Kay. Feature discovery under contextual supervision using mutual information.

- In *Proceedings of the International Joint Conference on Neural Networks*, volume IV, pages 79–84, 1992.
- N. Kowalski, D.A. Depireux, and S. Shamma. Analysis of dynamic spectra in ferret primary auditory cortex. i. characteristics of single-unit responses to moving ripple spectra. *Journal of Neurophysiology*, 76(5):3503–23, 1996.
- W. B. Levy. A sequence predicting CA3 is a flexible associator that learns and uses context to solve hippocampal-like tasks. *Hippocampus*, 6:579–590, 1996.
- W. B. Levy, C. M. Colbert, and N. L. Desmond. Elemental adaptive processes of neurons and synapses: a statistical/computational perspective. In M. Gluck & D. Rumelhart, editor, *Neuroscience and Connectionist Models*, pages 187–235. Lawrence Erlbaum Associates, Hillsdale, New Jersey, 1990.
- Z. Li and J. Atick. Efficient stereo coding in the multiscale representation. *Network: Computation in neural systems*, 5:157–174, 1994.
- R. Linsker. From basic network principles to neural architecture: Emergence of orientation columns. *Proceedings of the National Academy of Sciences USA*, 83: 8779–8783, 1986a.
- R. Linsker. From basic network principles to neural architecture: Emergence of orientation-selective cells. *Proceedings of the National Academy of Sciences USA*, 83:8390–8394, 1986b.
- R. Linsker. From basic network principles to neural architecture: Emergence of spatial opponent cells. *Proceedings of the National Academy of Sciences USA*, 83:7508–7512, 1986c.
- R. Linsker. Self-organization in a perceptual network. *IEEE Computer*, March, 21: 105–117, 1988d.
- R. Linsker. How to generate ordered maps by maximizing the mutual information between input and output signals. *Neural Computation*, 1(3), 1989e.
- A. Marr. Simple memory: A theory for archicortex. *Philosophical Transactions of the Royal Society of London*, 262 (Series B):23–81, 1971.
- J. L. McClelland, B. L. McNaughton, and R. C. O'Reilly. Why there are complementary learning systems in the hippocampus and neocortex: Insights from the successes and failures of connectionist models of learning and memory. *Psychological Review*, 102(3):419–457, 1995.
- B. L. McNaughton and R. G. M. Morris. Hippocampal synaptic enhancement and information storage within a distributed memory systems. *Trends in Neurosciences*, 10:408–415, 1987.
- M. Mishkin, W.A. Suzuki, D.G. Gadian, and F. Vargha-Khadem. Hierarchical organization of cognitive memory. *Philosophical Transactions of the Royal Society of London B: Biological Sciences*, 352(1360):1461–7, 1997.
- P.R. Montague, P. Dayan, and T.J. Sejnowski. A framework for mesencephalic dopamine systems based on predictive hebbian learning. *Neuroscience*, 16:1936–1947, 1996.

- S. J. Nowlan. Maximum likelihood competitive learning. In D. S. Touretzky, editor, *Neural Information Processing Systems, Vol. 2*, pages 574–582, San Mateo, CA, 1990. Morgan Kaufmann.
- K. Okajima. Binocular disparity encoding cells generated through an infomax based learning algorithm. *Neural Networks*, 17(7):953–62, 2004.
- R.C. O'Reilly and J.W. Rudy. Conjunctive representations in learning and memory: Principles of cortical and hippocampal function. *Psychological Review*, 108:311–345, 2001.
- W.A. Phillips, D. Floreano, and J. Kay. Contextually guided unsupervised learning using local multivariate binary processors. *Neural Networks*, 11(1):117–140, 1998.
- J. Rissanen. Modeling by shortest data description. *Automatica*, 14:465–471, 1978.
- E. Rolls. Functions of neural networks in the hippocampus and neocortex in memory. In J. H. Byrne and W. O. Berry, editors, *Neural Models of Plasticity: Theoretical and Empirical Approaches*, pages 240–265. Academic Press, 1989.
- R.M. Shapley and J.D. Victor. The contrast gain control of the cat retina. *Vision Research*, 19:431434, 1979a.
- A. Smith, S. Becker, and S. Kapur. A computational model of the selective role of the striatal d2-receptor in the expression of previously acquired behaviours. *Neural Computation*, 17(2):361–395, 2005.
- J. Stone. Learning perceptually salient visual parameters using spatiotemporal smoothness constraints. *Neural Computation*, 8:1463–1492, 1996.
- S.M. Stringer, E.T. Rolls, T.P. Trappenberg, and I.E.T. de Araujo. Self-organizing continuous attractor networks and path integration: two-dimensional models of place cells. *Network*, 13(4):429–446, 2002.
- R. Sutton. Learning to predict by the methods of temporal differences. *Machine Learning*, 3:9–44, 1988.
- R. S. Sutton and A. G. Barto. Toward a modern theory of adaptive networks: expectation and prediction. *Psychology Review*, 88:135–170, 1981.
- A. Treves and E. T. Rolls. Computational constraints suggest the need for two distinct input systems to the hippocampal ca3 network. *Hippocampus*, 2:189–200, 1992.
- V. Virsu, B.B. Lee, and O.D. Creutzfeldt. Dark adaptation and receptive field organisation of cells in the cat lateral geniculate nucleus. *Experimental Brain Research*, 27(1):35–50, 1977.
- G. V. Wallenstein and M. E. Hasselmo. GABAergic modulation of hippocampal place cell activity: sequence learning, place field development, and the phase precession effect. *Journal of Neurophysiology*, 78:393–408, 1997.
- C.J.C.H. Watkins. *Learning from delayed rewards*. PhD thesis, King's College, Cambridge University, 1989.
- R. S. Zemel and G. E. Hinton. Discovering viewpoint-invariant relationships that

- characterize objects. In R. P. Lippmann, J. E. Moody, and D. S. Touretzky, editors, *Advances In Neural Information Processing Systems 3*, pages 299–305. Morgan Kaufmann Publishers, 1991.
- R.S. Zemel and G.E. Hinton. Developing population codes by minimizing description length. *Neural Computation*, 7:549–564, 1995.